

**1500 METER**Geschreven door Serv Amesz  
Thursday, September 2005

167	15.00		16.0		15.5		15.5		16.0		16.0	
		22.50		24.0		24.5		24.5		25.0		25.0
500	37.50		40.0		40.0		40.0		41.0		41.0	
		23.50		24.5		25.5		25.5		25.5		26.0
833	1.01.0		1.04.5		1.05.5		1.05.5		1.06.5		1.07.0	
		24.50		25.5		26.0		26.5		26.5		27.0
1167	1.25.5		1.30.0		1.31.5		1.32.0		1.33.0		1.34.0	
		26.00		26.5		27.5		28.0		28.0		28.0
1500	<b>1.51.5</b>		<b>1.56.5</b>		<b>1.59.0</b>		<b>2.00.0</b>		<b>2.01.0</b>		<b>2.02.0</b>	
<hr/>												
167	16.5		16.5		16.5		16.5		16.5		16.5	
		25.0		25.0		25.0		25.5		25.5		26.0
500	41.5		41.5		41.5		42.0		43.0		42.5	
		26.0		26.0		26.5		26.5		26.5		27.0
833	1.07.5		1.07.5		1.08.0		1.08.5		1.09.5		1.09.5	
		27.5		27.5		28.0		28.0		28.0		28.0
1167	1.35.0		1.35.0		1.36.0		1.36.5		1.37.5		1.37.5	
		28.0		29.0		29.0		29.5		29.5		30.5
1500	<b>2.03.0</b>		<b>2.04.0</b>		<b>2.05.0</b>		<b>2.06.0</b>		<b>2.07.0</b>		<b>2.08.0</b>	
<hr/>												
167	16.5		17.0		17.0		17.0		17.0		17.0	
		26.5		26.5		27.0		27.0		28.0		27.5
500	43.0		43.5		44.0		44.0		45.0		44.5	
		27.0		27.5		28.0		28.5		28.5		28.5
833	1.10.0		1.10.5		1.12.0		1.12.5		1.13.5		1.14.0	
		28.5		28.5		29.0		29.0		29.0		29.5
1167	1.38.5		1.39.0		1.41.0		1.41.5		1.42.5		1.43.5	
		30.5		31.0		30.0		30.5		30.5		30.5
1500	<b>2.09.0</b>		<b>2.10.0</b>		<b>2.11.0</b>		<b>2.12.0</b>		<b>2.13.0</b>		<b>2.14.0</b>	
<hr/>												
167	17.0		18.0		18.0		18.0		18.5		18.5	
		27.5		27.5		28.0		29.0		29.0		29.5
500	44.5		45.5		46.0		47.0		47.5		48.0	
		28.5		29.0		29.0		29.5		30.0		30.0
833	1.14.0		1.14.5		1.15.5		1.16.5		1.17.5		1.18.0	
		29.5		30.0		30.5		30.0		30.0		30.5
1167	1.43.5		1.44.5		1.45.5		1.46.5		1.47.5		1.48.5	
		31.5		31.5		31.5		31.5		31.5		31.5
1500	<b>2.15.0</b>		<b>2.16.0</b>		<b>2.17.0</b>		<b>2.18.0</b>		<b>2.19.0</b>		<b>2.20.0</b>	
<hr/>												
167	18.5		18.5		18.5		19.0		19.0		19.0	
		29.5		29.5		30.0		30.0		30.5		30.0
500	48.0		48.		48.5		49.0		49.5		49.0	

		30.0		30.5		30.5		30.5		31.0		30.5
833	1.18.0		1.18.5		1.19.0		1.19.5		1.20.5		1.19.5	
		30.5		30.5		31.0		31.0		31.5		31.5
1167	1.48.5		1.49.0		1.50.0		1.52.0		1.52.0		1.52.0	
		32.5		33.0		33.0		33.5		33.0		34.0
1500	<b>2.21.0</b>		<b>2.22.0</b>		<b>2.23.0</b>		<b>2.24.0</b>		<b>2.25.0</b>		<b>2.26.0</b>	

---

167	19.0		19.5		19.5		20.0		20.0		20.5	
		30.0		30.0		30.0		30.5		31.0		30.5
500	49.0		49.5		50.5		50.5		51.0		50.5	
		30.5		31.0		31.0		31.5		32.0		32.0
833	1.19.5		1.20.5		1.21.5		1.22.0		1.23.0		1.22.5	
		32.5		32.5		32.0		32.5		33.0		34.0
1167	1.52.0		1.53.0		1.53.5		1.54.5		1.56.0		1.56.5	
		35.0		35.0		35.5		35.5		35.0		35.5
1500	<b>2.27.0</b>		<b>2.28.0</b>		<b>2.29.0</b>		<b>2.30.0</b>		<b>2.31.0</b>		<b>2.32.0</b>	

---

167	20.5		20.5		20.5		21.0		21.0		21.0	
		31.5		31.0		31.0		31.0		32.0		32.5
500	52.0		51.5		51.5		51.0		53.0		53.5	
		32.5		32.5		32.5		33.0		33.0		33.5
833	1.24.5		1.24.0		1.24.5		1.24.0		1.26.0		1.27.0	
		33.5		34.0		34.5		34.5		34.0		34.5
1167	1.58.0		1.58.0		1.59.0		1.58.5		2.00.0		2.01.5	
		35.0		36.0		36.0		37.5		37.0		36.5
1500	<b>2.33.0</b>		<b>2.34.0</b>		<b>2.35.0</b>		<b>2.36.0</b>		<b>2.37.0</b>		<b>2.38.0</b>	

---

167	21.5		21.5		21.5		22.0		22.0		22.0	
		33.0		32.0		32.0		32.0		32.5		32.5
500	53.5		53.5		53.5		54.0		54.5		54.5	
		33.5		33.5		33.5		34.0		34.0		34.5
833	1.27.0		1.27.0		1.27.0		1.28.0		1.28.5		1.29.0	
		34.5		36.0		36.0		36.0		36.5		36.5
1167	2.01.5		2.03.0		2.03.0		2.04.0		2.05.0		2.05.5	
		37.5		37.0		38.0		38.0		38.0		38.5
1500	<b>2.39.0</b>		<b>2.40.0</b>		<b>2.41.0</b>		<b>2.42.0</b>		<b>2.43.0</b>		<b>2.44.0</b>	

---

167	22.5											
		32.5										
500	55.0											
		35.0										
833	1.30.0											
		37.0										
1167	2.07.0											
		38.0										
1500	<b>2.45.0</b>											

Gewijzigd op ( Thursday, September 2005 )

**Venster sluiten**